



Case based debate session: How did I treat?

Joon-Hyung Doh, MD.PhD. FACC Inje University Ilsan Paik Hospital




Case Summary

- LAD bifurcation stenosis
 - Anatomical 1,1,1
 - Functionally 0.0.1
 - Non-invasive CTA: significant amount of myocardium in D1 territory
 - pLAD plaque characteristics: VP+
 - Intravascular imaging: significant stenosis with large plaque burden and LRP(+)
- RCA:
 - CTA soft plaque, functionally (-), invasive imaging large amount plaque burden, LRP(-)













Procedure: mini/balloon crush \rightarrow kissing balloon \rightarrow POT



POBA Sleek 2.0*20mm D1/LAD

Xience Alpine 2.5*18mm



Xience Alpine 3.0*38mm

Kissing balloon 2.5*18mm/NC 3.0*15mm



N

N

POT NC RoVL 3.0*15mm











Post PCI IVUS & FFR evaluation






Post PCI FFR LAD



 \bigcirc




Post PCI FFR D1




Residual SYNTAX Score : 2 Residual Functional SYNTAX Score : 0 Functionally Complete Revascularization





JE UNIVERSITY


TAL



Courtesy from KH Choi




Functional complete revascularization by physiologic FFR confirmation



Choi KH, Lee JM, Koo BK, Nam CW, Shin ES, Doh JH et al, JACC interv 2018



Before and after PCI






% increase of FFR after PCI could offer additional prognostic value

UNIVE

Results from COE-PERSPECTIVE international multicenter post PCI FFR registry




Lee JM, .., Nam CW, Shin ES, Doh JH, Koo BK. JACC interv 2018



Post PCI IVUS & FFR evaluation

UNIVE RSIT





Discussion

- Do you agree this strategy or propose different thought?
- How much impact non-invasive imaging and physiology on your strategy?
- Invasive imaging and physiology change your strategy?